



Window I.D:	W01, W02, W15, W023, W24	W03, W08	W04, W05, W07	W09, W10, W11, W12, W13, W14	W06
Quantity:	5	2	3	6	1
Location:	Meeting Room, Customer waiting area, Passage	Female WC, Kitchen	Female WC, Male WC, Kitchen	Female WC, Female shower, Male shower, Male WC, Passage	Male WC
Glazing:	n.a	n.a	n.a	n.a	n.a
Louvres:	150mm Aluminium Altair Stronghold Louvre Blade Profile to Suite Specified Adjustable Louvre System or equal approved	150mm Aluminium Altair Stronghold Louvre Blade Profile to Suite Specified Adjustable Louvre System or equal approved	150mm x 12mm Min. Thickness Aluminium Louvre Blade Profile to Suite Specified Adjustable Louvre System/TBC	150mm Aluminium Altair Stronghold Louvre Blade Profile to Suite Specified Adjustable Louvre System or equal approved	150mm Aluminium Altair Stronghold Louvre Blade Profile to Suite Specified Adjustable Louvre System or equal approved
Window Frames:	Aluminium extrusions & sections	Aluminium extrusions & sections	Aluminium extrusions & sections	Aluminium extrusions & sections	Aluminium extrusions & sections
Window Finish:	Powdercoated ash grey or equal approved.	Powdercoated ash grey or equal approved.	Powdercoated ash grey or equal approved.	Powdercoated ash grey or equal approved.	Powdercoated ash grey or equal approved.
Window System:	Adjustable Louvre	Adjustable Louvre	Adjustable Louvre	Adjustable Louvre	Adjustable Louvre
Hardware:	Breezeway Altair Stronghold or Equal Approved	Breezeway Altair Stronghold or Equal Approved	Breezeway Altair or Equal Approved	Breezeway Altair Stronghold or Equal Approved	Breezeway Altair Stronghold or Equal Approved
Hardware Finish:	TBA	TBA	TBA	TBA	TBA
Accessories:	Aluminium Weatherstrips removable Powdercoated Aluminium Framed Insect Screen	Aluminium Weatherstrips removable Powdercoated Aluminium Framed Insect Screen	Aluminium Weatherstrips removable Powdercoated Aluminium Framed Insect Screen	Aluminium Weatherstrips removable Powdercoated Aluminium Framed Insect Screen	Aluminium Weatherstrips removable Powdercoated Aluminium Framed Insect Screen

WINDOW SCHEDULE 1

Note:
All Glazing to withstand windspeed for Karavi Area, Ba with Ultimate Limit State(Vuls) of 66 m/s & Serviceability Limit State(Vsls) of 44.5 m/s, refer to structural engineers drawings.