



Window I.D:	W22	W25	W26, W27, W28, W29, W30, W31
Quantity:	1	1	6
Location:	Weighbridge operations office/Customer waiting area	Generator/Servicesroom	Security Booths 1 & 2
Glazing:	8mm Stormshield	n.a	n.a
Louvres:	n.a	Aluminium special fixed weather louvre system. Refer to details.	150mm Aluminium Altair Stronghold Louvre Blade Profile to Suite Specified Adjustable Louvre System or equal approved
Window Frames:	Aluminium Sections	Aluminium extrusions & sections	Aluminium extrusions & sections
Window Finish:	Powdercoated Black or equal approved.	Powdercoated ash grey or equal approved.	Powdercoated ash grey or equal approved.
Window System:	Slider	Adjustable louvre	Adjustable Louvre
Hardware:	Breezeway Altair or Equal Approved	Breezeway Altair or Equal Approved	Breezeway Altair Stronghold or Equal Approved
Hardware Finish:	Oil Brush Bronze or Equal Approved	TBA	TBA
Accessories:	Aluminium Weatherstrips removable Powdercoated Aluminium Framed Insect Screen	Aluminium Weatherstrips removable Powdercoated Aluminium Framed Insect Screen	Aluminium Weatherstrips removable Powdercoated Aluminium Framed Insect Screen

Note:
All Glazing to withstand windspeed for Karavi Area, Ba with Ultimate Limit State(Vuls) of 66 m/s & Serviceability Limit State(Vsls) of 44.5 m/s, refer to structural engineers drawings.

WINDOW SCHEDULE 3

TENDER ISSUE
conway architects
Architects + Master Planning



LTA KARAVI
WEIGHBRIDGE STATION- BA
WINDOW SCHEDULE 3
SCALE 1:50
24TH MAY 2019
AR-LTA-503

